



Make **Every** Print Count

CMA IMAGING

A market leader – supplying turnkey solutions of dedicated software and media for the printing industry:

- Color Management Solutions
- Certified Contract Proofing
- Packaging & Mock-up production
- Commercial Wide Format
- Fine-Art & Photo Printing



cmaimaging.com

Joining forces with **reforest'ACTION** organization. CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry

plant a tree for every roll of media





CMA IMAGING – Proofing Papers



The CMA Contract Proofing Papers are Fogra Certified semi-matte, gloss and matte paper for contract proofing applications. The extra large color gamut helps you to easily certify your jobs for international (Fogra, GRACoL, SWOP) or customized press standards. **Optimum results are achieved with the CMA ColorPortal RIP Software.**

CMA Contract Proofing Paper - semimatte

CMA Contract Proofing Paper - semimatte

Width

Prod Code	Length (m)	Length (ft)	gr/m²	OBA	Standard	Backprint	Eco	Fogra Cert #	A3+	13 in	14 in	17 in	24 in	36 in	42 in	44 in
										0,33 m	0,373 m	0,432 m	0,61 m	0,914 m	1,067 m	1,118 m
PPSM265	30m	98ft	265	No	Fogra 39-PSR		-	25676	✓	✓	✓	✓	✓	-	-	✓
PPSM265	45m	150ft	265	No	Fogra 39-PSR		-	25676	-	-	-	✓	-	-	-	-
PPSM250B	30m	98ft	250	No	Fogra 39-PSR	✓	PEFC	25676	✓	✓	✓	✓	✓	-	✓	✓
PPSM250B	50m	164ft	250	No	Fogra 39-PSR	✓	PEFC	25676	-	-	-	✓	✓	-	-	-
PPSM250D	30m	98ft	250	Few	Fogra 39-51-PSR	✓	PEFC	25676	-	-	-	✓	✓	-	✓	✓
PPSM250D	45m	150ft	250	Few	Fogra 39-51-PSR	✓	PEFC	25676	-	-	-	-	✓	-	-	-
PPSM250A	30m	98ft	250	No	Fogra 39-PSR		-	25676	✓	-	-	✓	✓	-	✓	✓
PPSM245A	30m	98ft	245	Yes	Fogra 51		PEFC	25676	-	-	-	✓	✓	-	-	-
PPSM245A	45m	150ft	245	Yes	Fogra 51		PEFC	25676	-	-	-	✓	✓	✓	✓	✓
PPSM210	30m	98ft	210	Yes	Fogra 51	✓	PEFC	25676	-	-	-	✓	✓	-	✓	-
PPSM210	45m	150ft	210	Yes	Fogra 51	✓	PEFC	25676	-	-	-	✓	✓	-	✓	-
PPSM200	30m	98ft	200	No	Fogra 39-PSR		-	25676	✓	-	-	✓	✓	✓	✓	✓
PPPSM190	30m	98ft	190	Few	Fogra 39-PSR		PEFC	25676	✓	-	-	✓	✓	-	✓	✓

CMA Contract Proofing Paper - gloss

CMA Contract Proofing Paper - gloss										Width						
Prod Code	Length (m)	Length (ft)	gr/m²	OBA	Standard	Backprint	Eco	Fogra Cert #	A3+	13 in	14 in	17 in	24 in	36 in	42 in	44 in
										0,33 m	0,373 m	0,432 m	0,61 m	0,914 m	1,067 m	1,118 m
PPGL260	30m	98ft	260	Few	Fogra 39		-	25676	✓	-	-	✓	✓	-	-	✓
PPGL245	30m	98ft	245	Yes	Fogra 51		PEFC	25676	-	-	-	✓	✓	-	✓	-

CMA Contract Proofing Paper - matte

CMA Contract Proofing Paper - matte

Prod Code	Length	Length (ft)	gr/m²	OBA	Standard	Backprint	Eco	Fogra Cert #	A3+	Width							
										13 in	14 in	17 in	24 in	36 in	42 in	44 in	
										0,33 m	0,373 m	0,432 m	0,61 m	0,914 m	1,067 m	1,118 m	
PPMA200	30m	98ft	200	Yes	Fogra 47		FSC	25676	-	-	-	✓	✓	-	-	✓	
PPMA150	30m	98ft	150	Yes	Fogra 47 - Fogra 52		FSC	25676	-	-	-	✓	✓	-	✓	-	
PPMA120	30m	98ft	120	Few	Fogra 47		FSC	25676	-	-	-	✓	✓	-	✓	-	
PPNP80	50m	164ft	80	No	IFRA26v4		FSC	-	-	-	-	✓	✓	-	-	✓	



PPSM265

CMA CONTRACT PROOFING 265

265 gr/m²

Fogra 39 Certified



- Tint (CIE L*a*b*) 96.8, 0.0, -1.9
- Thickness 262 µm
- Weight 265 g/m²
- Gloss >17 %
- Opacity >94 %
- Rolls Width 13; 14; 17; 24; 42; 44in
- Rolls Length standard 30,45m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM250B

CMA CONTRACT PROOFING 250

240 gr/m²

Fogra 39 Certified



- Tint (CIE L*a*b*) 96, 0.4, -1
- Thickness 235 $\mu\text{m} \pm 15$
- Weight 240 g/m² ± 10
- Gloss 18 % ± 4
- Opacity >90 %
- Rolls Width 13; 14; 17; 24; 36; 42; 44in
- Rolls Length standard 30,50m
- Back Print CMA IMAGING

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM250D

CMA CONTRACT PROOFING 250

250 gr/m²

Fogra 39 & 51 Certified



- Tint (CIE L*a*b*) 95.8, -0.5, -2.6
- Thickness 245 µm
- Weight 250 g/m²
- Gloss > 16 %
- Opacity > 90 %
- Rolls Width 13;17; 24; 42; 44in
- Rolls Length standard 30,45m
- Back Print CMA IMAGING

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM250A

CMA CONTRACT PROOFING 250

250 gr/m²

Fogra 39 Certified



- Tint (CIE L*a*b*) 96.0, 0, -3.5
- Thickness 252 µm
- Weight 250 g/m²
- Gloss > 48 %
- Opacity > 96 %
- Rolls Width 17; 24; 42; 44in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM210C

CMA CONTRACT PROOFING 210C

200 gr/m²

Fogra 39 Certified

- Tint (CIE L*a*b*) 95.0, 0.1, -3.8
- Thickness 205 µm
- Weight 200 g/m²
- Gloss 20%
- Rolls Width 17; 24; 36; 42; 44in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM210

CMA CONTRACT PROOFING 210

210 gr/m²

Fogra 39 Certified

- Tint (CIE L*a*b*) 95.5, 1.0, -4.0
- Thickness 220 µm
- Weight 210 g/m²
- Gloss > 19%
- Opacity > 94 %
- Rolls Width 17; 24; 42; 44in
- Rolls Length standard 30m
- Back Print CMA IMAGING

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM200

CMA CONTRACT PROOFING 200

200 gr/m²

Fogra 39 Certified



- Tint (CIE L*a*b*) 96.8, 0, -1.5
- Thickness 202 µm
- Weight 200 g/m²
- Gloss > 17 %
- Opacity > 94 %
- Rolls Width 17; 24; 36; 42; 44in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPSM190

CMA CONTRACT PROOFING 190

190 gr/m²

Fogra 39 Certified



- Tint (CIE L*a*b*) 97.2, 1.0, -0.8
- Thickness 185 µm
- Weight 190 g/m²
- Gloss >20 %
- Opacity >89 %
- Rolls Width 17; 24; 42; 44in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPGL260

CMA CONTRACT PROOFING 260

260gr/m²

Fogra 39 Certified



- Tint (CIE L*a*b*) 95.8, -0.3, -3.7
- Thickness 259 µm
- Weight 260 g/m²
- Gloss > 56 %
- Opacity > 96 %
- Rolls Width 17; 24; 44in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPGL245

CMA CONTRACT PROOFING 245

245 gr/m²

Fogra 51 Certified



- Tint (CIE L*a*b*) 96.5, 0.4, -4.0
- Thickness 260 µm
- Weight 245 g/m²
- Gloss > 34 %
- Rolls Width 17; 24; 42in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 C



375 C



102 C



072 C



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPMA200

CMA CONTRACT PROOFING 200

200 gr/m²

Fogra 47 Certified

- Tint (CIE L*a*b*) 97.0, 0.1, -2.8
- Thickness 245 µm
- Weight 200 g/m²
- Opacity >92 %
- Rolls Width 17; 24; 44in
- Rolls Length standard 30m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 U



375 U



102 U



072 U



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

**reforestACTION**
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPMA150

CMA CONTRACT PROOFING 150

150 gr/m²

Fogra 52 Certified

- Tint (CIE L*a*b*) 96.18, 1.75, -7.55
- Thickness 170 µm
- Weight 136 g/m²
- Opacity >95 %
- Rolls Width 17; 24; 44in
- Rolls Length standard 35m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



021 U



375 U



102 U



072 U



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media

reforestACTION
AGIR ENSEMBLE POUR L'HOMME & L'ENVIRONNEMENT



PPNP80 **CMA NEWSPRINT 80**

80 gr/m²

- Tint (CIE L*a*b*) 87.5, -0.7, -5.9
- Thickness 95 µm
- Weight 80 g/m²
- Gloss >20 %
- Opacity >85 %
- Rolls Width 17; 24; 44in
- Rolls Length standard 50m

CMA COLORPORTAL RIP

Using Epson 7900 with CMA Proofink™



cmaimaging.com

Joining forces with **reforestACTION** organization, CMA IMAGING with its partners and customers, foster a responsible market conduct towards the environment and the future of the industry.

plant a tree for every roll of media





**Feel free to contact us if you want to get samples,
prices or any other inquiries**

Or request a quote -> cmainaging.com

Contact information: CMA IMAGING Belgium SPRL –
VAT:BE05.6482.4763– IBAN: BE71.7370.4293.4869 – BIC: KREDBEBB –
Address: Parc de l'Alliance, 8 Av. De Finlande, 1420 Braine l'Alleud,
Belgium – orders@cmainaging.com or +32 2 899 89 80